

**LED2103****LED3103****LED2104****LED3104****LED3105****833.74.500-503****833.76.505-508****833.74.505-508****833.76.510-513****833.74.510-513****833.76.515-519****833.74.515-518****833.76.520-523****833.76.500-503****833.76.524-528**

	 	W/m	max. (m)						T _A
			20W	40W	60W	90W	120W		
	LED2103	4.8	4.1	4.8	12.5			5000 x 8 x 1.9 / 196.85 x 0.31 x 0.07	-20°C – +45°C
		9.6	2.0	4.1	8.3				
	LED3103	4.8	4.1	8.3	12.5	18.7	25.0	50000 x 8 x 1.9 / 1968.5 x 0.31 x 0.07	-4°F – +113°F
	LED3104	9.6	2.0	4.1	6.2	9.3	12.5		
	LED3105	14.4	1.3	2.7	4.1	6.2	8.3		

732.28.375



A

B

x	12V
100/3.93	833.74.694
500/19.68	833.74.695
2000/78.74	833.74.696

x	24V
100/3.93	833.75.762
500/19.68	833.75.763
2000/78.74	833.75.764

[WS252]

HDE 25.02.2025




C

D

x	12V/24V
50/1.97	833.75.765
2000/78.74	833.75.766

833.75.767







732.28.375

[WS252]


HDE 25.02.2025




732.28.375

[WS252]

HDE 25.02.2025



732.28.375



HDE 25.02.2025